

MSDS

in accordance with Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH), Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 and Comission Regulation (EU) No 2020/878 of 18 June 2020

Fragrance Black Currant MDB 24537

No. EN 6	: 02.07.2025
	: 07.07.2025
	E/MIXTURE AND OF THE COMPANY/UNDERTAKING:
1.1.Product identifier:	
MIXTURE IDENTIFICATION:	
Product name	Fragrance Black Currant MDB 24537
Product number	24537
UFI Code	GY0C-30XR-000A-J9DN
1.2. RELEVANT IDENTIFIED USES OF THAGAINST:	E SUBSTANCE OR MIXTURE AND USES ADVISED
RECOMMENDED USE:	Aromatic ingredient for household chemicals and cosmetics. Manufacturing use only, not for direct consumption as such.
USES ADVISED AGAINST:	Do not use in food.
1.3. DETAILS OF THE SUPPLIER OF THE	E SAFETY DATA SHEET:
COMPETENT PERSON RESPONSIBLE FOR THE MATERIAL SAFETY DATA SHEET:	Forbury Supplies Ltd
ADDRESS OF THE SUPPLIER:	22 Frieth Close, Earley, Reading, England, RG6 5UY
TELEPHONE NUMBER OF THE SUPPLIER:	+447786555361
E-MAIL:	forburysupplies@gmail.com
1.4. EMERGENCY CONTACTS:	
IN CASE OF INTOXINCATION:	
	UNITED KINGDOM - National Poisons Information Service (24 h service), phone: +44 (0) 844-892-0111 (UK only); FOR OTHER EU COUNTRIES, please consult: http://echa.europa.eu/help/nationalhelp_contact_en.asp"
SECTION 2 - HAZARDS IDENTIFICAT	ION
2.1. CLASSIFICATION OF THE SUBSTAN	ICE OR MIXTURE

Classification according to regulation (EC) No 1272/2008 (CLP)

inedien di		
Produ	ct definition	Mixture
H411		Aquatic Chronic 2
H317		Skin Sens. 1
H315		Skin Irrit. 2

2.2. LABEL ELEMENTS

Labelling according to Regulation (EC) (CLP)

Hazard pictograms:



Signal word Hazard statements H411 Warning

Toxic to aquatic life with long lasting effects.

MS	DS Version No. 11032025_EN 6 Fragrance Black Currant MDB 24537 Printed 07-07-2025				
H317	May cause an allergic skin reaction.				
H315	Causes skin irritation.				
Precautionary state	Precautionary statements (Prevention and Intervention)				
P273	Avoid release to the environment.				
P261	Avoid breathing dust/fumes/gas/mist/vapours/spray. [As modified by IV ATP]				
P272	Contaminated work clothing should not be allowed out of the workplace.				
P280	Wear protective gloves/protective clothing/eye protection/face protection. [As modified by IV ATP]				
P264	Wash thoroughly after handling.				
P302+P352	IF ON SKIN: Wash with plenty of soap and water.				
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.				

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCES:

Mixture of natural, nature identical and synthetic aromatic products.

- 3.2 MIXTURES: Mixture of natural and synthetic aromatic ingredients.
- 3.2 Hazardous components:

INGREDIENTS	%	CAS No. / EC No. Index No. / REACH No.	Classification REGULATION (EC) No 1272/2008
Dipropylene Glycol (IUPAC: 1,1'-OXY DI-2-PROPANOL)	<64,5%	CAS No. 25265-71-8 EC No. 246-770-3 Index No. REACH No.01-2119456811-38-0088	REGULATION (EC) NO 12/2/2006
Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL- 1H,3H,4H,6H,7H,8H-INDEN O[5,6-C]PYRAN)	<10,1%	CAS No. 1222-05-5 EC No. 214-946-9 Index No.603-212-00-7 REACH No.01-2119488227-29-xxxx	Aquatic Chronic 1:H410 Aquatic Acute 1:H400 M Chr=1
Ethyl Acetate (IUPAC: ETHYL ACETATE)	<5,04%	CAS No. 141-78-6 EC No. 205-500-4 Index No. REACH No.01-2119475103-46-xxxx	Eye Irrit. 2:H319 Flam. Liq. 2:H225 STOT SE 3 (H336):H336
Isoamyl Acetate (IUPAC: 3-METHYLBUTYL ACETATE)	<5,04%	CAS No. 123-92-2 EC No. 204-662-3 Index No. REACH No.01-2119548408-32-xxxx	Flam. Liq. 3:H226
Ethyl Butyrate (IUPAC: ETHYL BUTANOATE)	<3,06%	CAS No. 105-54-4 EC No. 203-306-4 Index No. REACH No.01-2120118576-54-xxxx	Flam. Liq. 3:H226 Eye Irrit. 2:H319
Ionone Beta (IUPAC: (3E)-4-(2,6,6-TRIMETHYLC YCLOHEX-1-EN-1-YL)BUT- 3-EN-2-ONE)	<3,06%	CAS No. 14901-07-6 79-77-6 EC No. 238-969-9 Index No. REACH No.01-2119486669-15-xxxx	Aquatic Chronic 2:H411
Eucaliptol (IUPAC: 1,3,3-TRIMETHYL-2-OXABI CYCLO[2.2.2]OCTANE)	<2,88%	CAS No. 470-82-6 EC No. 207-431-5 Index No. REACH No.01-2119967772-24-xxxx	Flam. Liq. 3:H226 Skin Sens. 1B:H317
Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PRO PAN-2-YL ACETATE)	<1,96%	CAS No. 102-76-1 EC No. 203-051-9 Index No. REACH No.01-2119484873-24-0001	

SECTION 4 - FIRST-AID MEASURES

Inhalation

Move affected person to fresh air at once. Get medical attention if any discomfort continues

Ingestion

Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.

MSDS Version No. 11032025 Skin contact	_EN 6 Fragrance Black Currant MDB 24537 Printed 07-07-2025 Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms and effects	, both acute and delayed
General information	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.
4.3. Indication of any immediate med	dical attention and special treatment needed
Notes for the doctor No specific	•
recommendations.	
SECTION 5 - FIRE-FIGHTING MEASU	JRES
5.1 Extinguishing media:	
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Water.
5.2. Special hazards arising from the	e substance or mixture
Specific hazards	Toxic gases or vapours
5.3. Advice for firefighters	
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective	e equipment and emergency procedures
Personal precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots,clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.
6.2. Environmental precautions	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
6.4. Reference to other sections	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.
Advice on general occupational hygiene	
nygiono	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.
	the end of each work shift and before eating, smoking and using the toilet.
7.2. Conditions for safe storage, inclusion Storage precautions	the end of each work shift and before eating, smoking and using the toilet.
7.2. Conditions for safe storage, incl	the end of each work shift and before eating, smoking and using the toilet. Iuding any incompatibilities Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight

8.1 Control parameters:

INGREDIENT	CAS №	TWA, 8 hours
Isoamyl Acetate (IUPAC: 3-METHY	123-92-2	TWA= 270* mg/m³
	444 70 0	TIA/A 000+

ADDITIONAL INFORMATION: 8.2. EXPOSURE CONTROLS:

Information valid at the time of review of safety data sheet.

ENGINEERING MEASURES: Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work. HYGIENIC MEASURES: When using do not eat, drink or smoke.

GENERAL PROTECTIVE AND HYGIENIC MEASURES:	Avoid contact with the eyes. Wash hands during work breaks and at the end of the shift. Provide skin protection plan.
RESPIRATORY PROTECTION:	Avoid excessive inhalation of concentrated vapors. Ensure adequate ventilation. If workers are exposed to high concentrations, they must use appropriate, certified respirators. Wear suitable respiratory protection in case of large scale exposure. Suitable facemask in accordance with EN 140.
BODY PROTECTION:	Protective clothing. Safety showers should be available in the immediate vicinity of any potential exposure. Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367.
EYE PROTECTION:	Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.
Hygiene measures	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.
HAND PROTECTION:	Chemical protective gloves according to DIN EN 374 with CE-labelling. Suitable material - nitril. 0.13 mm. Indication of permeation breakthrough time – 1 hour. Check the condition of protective gloves after each use for any damages like holes, cuts or tears. Do not wear protective gloves longer than necessary. After use of gloves apply skin-cleaning agents and skin cosmetics. Gloves for mechanical protection do not provide protection against chemicals.
RISK MANAGEMENT MEASURES:	The operators shall be instructed adequately. The workplace shall be inspected regularly by competent personnel e.g. the safety representative.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Homogeneous transparent liquid , opalescence is allowed.
AUTOIGNITION	No spontaneous combustion
TEMPERATURE:	
BOILING POINT:	No data available
COLOUR:	From colorless to brown
DECOMPOSITION	No data available
TEMPERATURE:	
DENSITY, 20 °C:	0.9 – 1.6 g/cm³
FLASH POINT:	> 61 °C
FREEZING POINT:	No data available
FREEZING POINT:	No data available
KINEMATIC VISCOSITY:	No data available
LOWER AND UPPER	Not explosive
EXPLOSIVE LIMITS:	•

		EN 6 Fragrance Black Currant MDB 24537 Printed 07-07-2025
	MELTING POINT/MELTING RANG:	< 0 °C
	ODOUR:	Fragrance description
	PARTITION COEFFICIENT N	No data available
	OCTANOL/WATER (LOG	
	MEAN):	No data available
	pH: RELATIVE VAPOR DENSITY:	No data available
	SOLUBILITY IN ALCOHOL:	Soluble
	SOLUBILITY IN WATER:	Limited solubility
	VAPOR PRESSURE:	No data available
SECTIC	N 10: STABILITY AND REACT	Ίντγ
	10.1. REACTIVITY:	The product is stable and relatively inert under normal conditions of use, storage and transport.
	10.2. CHEMICAL STABILITY:	Under the conditions of use specified in Section 7, the product is stable.
	10.3. POSSIBILITY OF HAZARDOUS REACTION:	Under normal conditions of use, there is no information on dangerous reactions.
	10.4. CONDITIONS TO AVOID:	Contact with incompatible materials.
	10.5. INCOMPATIBLE MATERIALS:	Strong acids, strong bases, strong oxidants.
	10.6. HAZARDOUS DECOMPOSITION PRODUCTS:	No decomposition product of storage and handling conditions are followed. In case of fire, hazardous gases may form.
SECTIC	N 11: TOXICOLOGICAL INFO	RMATION
	11.1. Information on toxicological effects	
	INHALATION	
	Acute toxicity:	No data available
	Corrosion/irritation:	Not classified – based on available data, the classification criteria are not met.
	Sensitisation:	Does not contain substances classified as respiratory sensitizer. Not classified – based on available data, the classification criteria are not met.
	Carcinogenicity:	Does not contain carcinogenic substances. Not classified – based on available data, the classification criteria are not met.
	Mutagenicity:	Does not contain mutagenic substances. Not classified – based on available data, the classification criteria are not met.
	SKIN CONTACT:	
	Acute toxicity:	No data available
	Corrosion/irritation:	Not classified – based on available data, the classification criteria are not met.
	Sensitisation:	Does not contain substances classified as respiratory sensitizer. Not classified – based on available data, the classification criteria are not met.
	Carcinogenicity:	Does not contain carcinogenic substances. Not classified – based on available data, the classification criteria are not met.
	Mutagenicity:	Does not contain mutagenic substances. Not classified – based on available data, the classification criteria are not met.
	EYE CONTACT:	
	Corrosion/irritation:	No data available
	INGESTION:	
		Page 5 fror

	25_EN 6 Fragrance Black Currant MDB 24537 Printed 07-07-2025	
Acute toxicity:	No data available	
Corrosion/irritation:	May cause a feeling of sickness, vomiting and diarrhoea.	
Sensitisation:	Does not contain carcinogenic substances. Not classified – based on available data, the classification criteria are not	
	met.	
Carcinogenicity:	Does not contain carcinogenic substances. Not classified – based on available data, the classification criteria are not met.	
Mutagenicity:	Does not contain mutagenic substances. Not classified – based on available data, the classification criteria are not met.	
Reprotoxicity:	Not expected to be reprotoxic. Not classified – based on available data, the classification criteria are not met. Fertility: Not classified – based on available data, the classification criteria are not met.	
11.2. PRIMARY IRRITANT EFFECT:	No data available	
11.2.1 ENDOCRINE	Musk 50 IPM (IUPAC:	
DISRUPTING PROPERTIES:	4,6,6,7,8,8-HEXAMETHYL-1H,3H,4H,6H,7H,8H-INDENO PYRAN)	
11.3. SENSITISATION:	Classified as Sensitisation — Skin, hazard category 1.	
11.4 CHRONIC EFFECT:	Classified as Hazardous to the aquatic environment — Chronic Category 2.	
11.5 TARGET ORGANS:	Does not have any classifiable toxicity.	
11.6. CARCINOGENICITY:	Does not have any classifiable toxicity.	
11.7. MUTAGENICITY:	Does not have any classifiable toxicity.	
11.8. REPROTOXICITY:	Does not have any classifiable toxicity.	
SECTION 12: ECOLOGICAL INFORMATION		
12.1. TOXICITY:		
No ecotoxicological research has b	peen carried out on this product.	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ	peen carried out on this product.	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity:	peen carried out on this product.	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY:	peen carried out on this product. nisms:	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC:	peen carried out on this product.	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8	Deen carried out on this product. nisms: 1,1'-OXY DI-2-PROPANOL)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae)	Deen carried out on this product. nisms: 1,1'-OXY DI-2-PROPANOL)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish)	Deen carried out on this product. nisms: 1,1'-OXY DI-2-PROPANOL)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic	Deen carried out on this product. nisms: 1,1'-OXY DI-2-PROPANOL)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC:	Deen carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) c invertebrates)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1	Deen carried out on this product. nisms: 1,1'-OXY DI-2-PROPANOL)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5	Deen carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) c invertebrates) IH,3H,4H,6H,7H,8H-INDENO[5,6-C]PYRAN)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 µg/L(Aquatic	Deen carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) c invertebrates) IH,3H,4H,6H,7H,8H-INDENO[5,6-C]PYRAN)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 µg/L(Aquatic LC50/96 H 950 µg/L(Fish)	Deen carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY DI-2-PROPANOL) c invertebrates) IH,3H,4H,6H,7H,8H-INDENO[5,6-C]PYRAN) ic algae and cyanoba)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 µg/L(Aquatic LC50/96 H 950 µg/L(Fish) EC50/48 H 300 µg/L(Aquatic	been carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY DI-2-PROPANOL) c invertebrates) H,3H,4H,6H,7H,8H-INDENO[5,6-C]PYRAN) ic algae and cyanoba) ic invertebrates)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 µg/L(Aquat LC50/96 H 950 µg/L(Fish) EC50/48 H 300 µg/L(Aquat Ethyl Acetate (IUPAC: ETHY	been carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY DI-2-PROPANOL) c invertebrates) H,3H,4H,6H,7H,8H-INDENO[5,6-C]PYRAN) ic algae and cyanoba) ic invertebrates)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 µg/L(Aquatic LC50/96 H 950 µg/L(Fish) EC50/48 H 300 µg/L(Aquatic Ethyl Acetate (IUPAC: ETHY) 141-78-6	been carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY DI-2-PROPANOL) c invertebrates) H,3H,4H,6H,7H,8H-INDENO[5,6-C]PYRAN) ic algae and cyanoba) ic invertebrates)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 µg/L(Aquat LC50/96 H 950 µg/L(Fish) EC50/48 H 300 µg/L(Aquat Ethyl Acetate (IUPAC: ETHY 141-78-6 EC50/48 H 5,6 g/l(Algae)	been carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY DI-2-PROPANOL) c invertebrates) H,3H,4H,6H,7H,8H-INDENO[5,6-C]PYRAN) ic algae and cyanoba) ic invertebrates)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 µg/L(Aquat LC50/96 H 950 µg/L(Fish) EC50/48 H 300 µg/L(Aquat Ethyl Acetate (IUPAC: ETHY 141-78-6 EC50/48 H 5,6 g/l(Algae) LC50/96 H 230 mg/l(Fish)	been carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY DI-2-PROPANOL) c invertebrates) H,3H,4H,6H,7H,8H-INDENO[5,6-C]PYRAN) ic algae and cyanoba) ic invertebrates)	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatid Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 μ g/L(Aquatid LC50/96 H 950 μ g/L(Fish) EC50/48 H 300 μ g/L(Aquatid Ethyl Acetate (IUPAC: ETHY 141-78-6 EC50/48 H 5,6 g/l(Algae) LC50/96 H 230 mg/l(Fish) EC50/96 H 220 mg/l(Fish)	been carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY DI-2-PROPANOL) c invertebrates) 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 µg/L(Aquat LC50/96 H 950 µg/L(Fish) EC50/48 H 300 µg/L(Aquat Ethyl Acetate (IUPAC: ETHY 141-78-6 EC50/48 H 5,6 g/l(Algae) LC50/96 H 230 mg/l(Fish)	been carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY DI-2-PROPANOL) c invertebrates) 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 μ g/L(Aquat LC50/96 H 950 μ g/L(Fish) EC50/48 H 300 μ g/L(Aquat Ethyl Acetate (IUPAC: ETHY 141-78-6 EC50/48 H 5,6 g/l(Algae) LC50/96 H 230 mg/l(Fish) EC50/96 H 220 mg/l(Fish) Isoamyl Acetate (IUPAC: 3-M 123-92-2	been carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY DI-2-PROPANOL) c invertebrates) 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY	
No ecotoxicological research has a Ecotoxicity - Toxic to aquatic organ Ingredients Toxicity: AQUATIC TOXICITY: Dipropylene Glycol (IUPAC: 25265-71-8 EC50/72H 100 mg/l(Algae) LC50/96 H 5 000 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1 1222-05-5 EC50/72H 854 µg/L(Aquatic LC50/96 H 950 µg/L(Fish) EC50/48 H 300 µg/L(Aquatic Ethyl Acetate (IUPAC: ETHY 141-78-6 EC50/48 H 5,6 g/l(Algae) LC50/96 H 230 mg/l(Fish) EC50/96 H 220 mg/l(Fish) Isoamyl Acetate (IUPAC: 3-M	Deen carried out on this product. hisms: 1,1'-OXY DI-2-PROPANOL) 1,1'-OXY DI-2-PROPANOL) c invertebrates) 1H,3H,4H,6H,7H,8H-INDENO[5,6-C]PYRAN) ic algae and cyanoba) ic invertebrates) 1LACETATE) METHYLBUTYL ACETATE)	

Ethyl Butyrate (IUPAC: ETHYL BUTANOATE)

105-54-4 LCS0/96 H 100 mg/l(Fish) Ionone Beta (IUPAC: (3E)-4-(2,6,6-TRIMETHYLCYCLOHEX-1-EN-1-YL)BUT-3-EN-2-ONE) 14901-07-6 79-77-6 EC50/72H 21,15 mg/l(Aquatic algae and cyanoba) LC50/96 H 5,09 mg/l(Fish) EC50/72H 21,15 mg/l(Aquatic invertebrates) Eucaliptol (IUPAC: 1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE) 470-82-6 EC50/72H EC50/72H 74 mg/l(Algae) LC50/96 H 87 mg/l(Algae) LC50/96 H 90 mg/l(Fish) EC50/72H 94 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/21da ys 94 mg/l(Aquatic invertebrates) EC50/21da ys ys 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aqua DEGRADABILITY: environment. <t< th=""><th></th></t<>	
Ionone Beta (IUPAC: (3E)-4-(2,6,6-TRIMETHYLCYCLOHEX-1-EN-1-YL)BUT-3-EN-2-ONE) 14901-07-6 79-77-6 EC50/72H 21,15 mg/l(Aquatic algae and cyanoba) LC50/96 H 5,09 mg/l(Fish) EC50/78H 4,71 mg/l(Gauatic invertebrates) Eucaliptol (IUPAC: 1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE) 470-82-6 EC50/72H 74 mg/l(Algae) EC50/72H 74 mg/l(Algae) EC50/96 H 87 mg/l(Algae) EC50/96 H 87 mg/l(Algae) EC50/72H 74 mg/l(Algae) EC50/72H 74 mg/l(Algae) EC50/72H 94 mg/l(Algae) LC50/96 H 57 mg/l(Fish) EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/721da 94 mg/l(Aquatic invertebrates) IC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) I2.2. PERSISTENCE AND May cause long-term adverse effects in the aqua DEGRADABILITY: environment. ASSESSMENT No data available	
(3E)-4-(2,6,6-TRIMETHYLCYCLOHEX-1-EN-1-YL)BUT-3-EN-2-ONE) 14901-07-6 79-77-6 EC50/72H 21,15 mg/l(Aquatic algae and cyanoba) LC50/96 H 5,09 mg/l(Fish) EC50/72H 21,17 mg/l(Fish) EC50/86 H 4,71 mg/l(Fish) Eucaliptol (IUPAC: 1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE) 470-82-6 EC50/72H 74 mg/l(Algae) EC50/96 H 87 mg/l(Algae) LC50/96 H 57 mg/l(Fish) EC50/72H 74 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 102-76-1 EC50/72H 940 mg/l(Aquatic invertebrates) EC50/21da ys ys 94 mg/l(Aquatic invertebrates) EC50/21da ys ys 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aqua DEGRADABILITY: environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low po POTENTIAL bioaccumulation: logPow>4 (log Powcaculated	
14901-07-6 79-77-6 EC50/72H 21,15 mg/l(Aquatic algae and cyanoba) LC50/96 H 5,09 mg/l(Fish) EC50/96 H 4,71 mg/l(Fish) EC50/48 H 4,03 mg/l(Aquatic invertebrates) Eucaliptol (IUPAC: 1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE) 470-82-6 EC50/72H 74 mg/l(Algae) EC50/72H 74 mg/l(Algae) EC50/96 H 87 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/72H 940 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/72H 940 mg/l(Aquatic invertebrates) EC50/21da ys 94 mg/l(Aquatic invertebrates) EC50/21da ys 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquator definition and the advartace of the available and the available av	
EC50/72H 21,15 mg/l(Aquatic algae and cyanoba) LC50/96 H 5,09 mg/l(Fish) EC50/96 H 4,71 mg/l(Fish) EC50/48 H 4,03 mg/l(Aquatic invertebrates) Eucaliptol (IUPAC: 1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE) 470-82-6 EC50/72H 74 mg/l(Algae) EC50/96 H 87 mg/l(Algae) EC50/96 H 57 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/72H 940 mg/l(Aquatic invertebrates) EC50/72H 940 mg/l(Aquatic invertebrates) EC50/72H 940 mg/l(Aquatic invertebrates) EC50/72H 940 mg/l(Aquatic invertebrates) EC50/21da ys 94 mg/l(Aquatic invertebrates) LC50/21da ys 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aqua DEGRADABILITY: environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION:	
LC50/96 H 5,09 mg/l(Fish) EC50/96 H 4,71 mg/l(Fish) EC50/48 H 4,03 mg/l(Aquatic invertebrates) Eucaliptol (IUPAC: 1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE) 470-82-6 EC50/72H 74 mg/l(Algae) LC50/96 H 87 mg/l(Algae) LC50/96 H 57 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/214 940 mg/l(Algae) LC50/214 940 mg/l(Aquatic invertebrates) EC50/214a ys ys 94 mg/l(Aquatic invertebrates) LC50/214a ys ys 94 mg/l(Aquatic invertebrates) L2.2. PERSISTENCE AND May cause long-term adverse effects in the aquator environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low po bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX 102-76-1 0.0049	
EC50/96 H 4,71 mg/l(Fish) EC50/48 H 4,03 mg/l(Aquatic invertebrates) Eucaliptol (IUPAC: 1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE) 470-82-6 EC50/72H 74 mg/l(Algae) EC50/96 H 87 mg/l(Algae) LC50/96 H 57 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/21da 94 mg/l(Aquatic invertebrates) EC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquatic environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low po bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT	
EC50/48 H 4,03 mg/l(Aquatic invertebrates) Eucaliptol (IUPAC: 1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE) 470-82-6 EC50/72H 74 mg/l(Algae) EC50/72H 74 mg/l(Algae) LC50/96 H 87 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/21da 94 mg/l(Aquatic invertebrates) EC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) L2.2 PERSISTENCE AND May cause long-term adverse effects in the aquatic environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low po pOTENTIAL bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT CAS №	
Eucaliptol (IUPAC: 1,3,3-TRIMETHYL-2-OXABICYCLO[2.2.2]OCTANE) 470-82-6 EC50/72H 74 mg/l(Algae) EC50/96 H 87 mg/l(Algae) LC50/96 H 57 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/21da 94 mg/l(Aquatic invertebrates) IC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aqua DEGRADABILITY: environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low po POTENTIAL bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX 102-76-1 0.0049	
470-82-6 EC50/72H 74 mg/l(Algae) EC50/96 H 87 mg/l(Algae) LC50/96 H 57 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/96 H 380 mg/l(Aquatic invertebrates) LC50/96 H 100 mg/l(Fish) EC50/21da 940 mg/l(Aquatic invertebrates) EC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquator environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low por portential INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX 102-76-1 0.0049	
EC50/72H 74 mg/l(Algae) EC50/96 H 87 mg/l(Algae) LC50/96 H 57 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/96 H 100 mg/l(Algae) LC50/96 H 100 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/21da 94 mg/l(Aquatic invertebrates) EC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquatic environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low potention: logPow>4 (log Powcalculated = INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
EC50/96 H 87 mg/l(Algae) LC50/96 H 57 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/12H 940 mg/l(Aquatic invertebrates) EC50/21da ys 94 mg/l(Aquatic invertebrates) LC50/21da ys 94 mg/l(Aquatic invertebrates) LC50/21da ys 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquate environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low poer bioaccumulation: logPow>4 (log Powcalculated = NGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX 102-76-1	
LC50/96 H 57 mg/l(Fish) EC50/48 H 100 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/48 H 380 mg/l(Aquatic invertebrates) EC50/21da ys ys 94 mg/l(Aquatic invertebrates) LC50/21da ys ys 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquate environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low poent bioaccumulation: logPow>4 (log Powcalculated = NGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1	
EC50/48 H 100 mg/l(Aquatic invertebrates) Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/21da ys ys 94 mg/l(Aquatic invertebrates) EC50/21da ys 94 mg/l(Aquatic invertebrates) LC50/21da ys 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquate environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low poto bioaccumulation: logPow>4 (log Powcalculated = NGREDIENT INGREDIENT CAS № Partition Coefficient Triacetin (IUPAc: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
Triacetin (IUPAC: 1,3-BIS(ACETYLOXY)PROPAN-2-YL ACETATE) 102-76-1 EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/21da ys 94 mg/l(Aquatic invertebrates) LC50/21da ys 94 mg/l(Aquatic invertebrates) LC50/21da ys 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aqua environment. ASSESSMENT No data available BIODEGRADABILITY: environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low po bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
102-76-1 EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/21da 94 mg/l(Aquatic invertebrates) EC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquate environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low pobioaccumulation: logPow>4 (log Powcalculated = NGREDIENT INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
EC50/72H 940 mg/l(Algae) LC50/96 H 100 mg/l(Fish) EC50/48 H 380 mg/l(Aquatic invertebrates) EC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquatic environment. DEGRADABILITY: environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low po bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
LC50/96 H 100 mg/l(Fish) EC50/48 H 380 mg/l(Aquatic invertebrates) EC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquation environment. DEGRADABILITY: environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low po bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
EC50/48 H 380 mg/l(Aquatic invertebrates) EC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aquate environment. DEGRADABILITY: environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low poen bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
EC50/21da 94 mg/l(Aquatic invertebrates) LC50/21da 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aqua DEGRADABILITY: environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low po POTENTIAL Los Nº Partition Coefficient INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
ys 94 mg/l(Aquatic invertebrates) LC50/21da ys 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND DEGRADABILITY: May cause long-term adverse effects in the aqua environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: No further relevant information available. Low po bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1	
LC50/21da 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND May cause long-term adverse effects in the aqua environment. DEGRADABILITY: environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE POTENTIAL No further relevant information available. Low po bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT INGREDIENT CAS № Partition Coefficient 0,0049	
ys 94 mg/l(Aquatic invertebrates) 12.2. PERSISTENCE AND DEGRADABILITY: May cause long-term adverse effects in the aqua environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: No further relevant information available. Low po bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
DEGRADABILITY: environment. ASSESSMENT No data available BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE No further relevant information available. Low po POTENTIAL No further relevant information available. Low po INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
ASSESSMENT No data available BIODEGRADATION AND BIODEGRADATION AND ELIMINATION: 12.3. BIOACCUMULATIVE 12.3. BIOACCUMULATIVE No further relevant information available. Low po bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	atic
POTENTIAL bioaccumulation: logPow>4 (log Powcalculated = INGREDIENT CAS № Partition Coefficient Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
Triacetin (IUPAC: 1,3-BIS(ACETYLOX) 102-76-1 0,0049	
Dipropylene Glycol (IUPAC: 1,1'-OXY 25265-71-8 0,1612	
12.4. MOBILITY IN SOIL: No data available GENERAL NOTES:	
12.5. RESULTS OF PBT UN vPvB ASSESSMENT: This mixture does not contain substances that m or vPvB criteria of REACH, annex XIII.	eet the PBT
12.6. ENDOCRINE Musk 50 IPM (IUPAC: DISRUPTING PROPERTIES: 4,6,6,7,8,8-HEXAMETHYL-1H,3H,4H,6H,7H,8H- PYRAN)	-INDENO
12.7. OTHER ADVERSE EFFECTS:	
Global Warming Potential Do not may contribute to the greenhouse effect.	
ON 13: DISPOSAL CONSIDERATIONS	
13.1. WASTE TREATMENT METHODS:	
se of in accordance with local and national regulations.	
Product residues: Do not pour residues into the municipal sewage	
Additional warning: None.	system.
European waste catalogue: Dispose of according to directives: 2008/98/ES; 2014/955/EU; 2008/98/ES.	system.
EUROPEAN WASTE CATALOGUE	-

	MSDS Versio	on No. 11032025_	EN 6 Fragrance Black Currant MDB 24537 Printed 07-07-2025
	EWC CODE	Description	
	07 _		organic chemical processes:
	wastes from the MFSU of fine chemicals and chemical products not		
	07 07 otherwise specified 07 07 99 wastes not otherwise specified		
			filter materials (including oil filters not otherwise specified),
			protective clothing contaminated by hazardous substances
	CONTAMINATED PA		Hand over the packaging left after use to the person responsible for the disposal of hazardous waste.
	RECOMMENDATIO		Avoid release to the environment.
SECTIO	N 14. TRANSPOR	T INFORMA	
	14.1. UN number		UN 3082
	14.2. UN proper ship	ping name	UN 3082 Environmentally hazardous substance, liquid, N.O.S. (Allyl Heptanoate, 7-Acetyl-1,1,3,4,4,6-Hexamethylietraline)
	14.3. TRANSPORT I CLASS (ES): ADR, IATA, IMDG CLASS	HAZARD	9
	DANGER LABEL:		9
	14.4. PACKING GR	OUP:	III
	ADR, IATA, IMD		
	14.5. ENVIRONMEI HAZARDS: MARINE POLLUTAN		Yes
	14.6. SPECIAL PRE FOR USER:	CAUTIONS	Read MSDS and emergency procedures before handling
	14.7. TRANSPORT ACCORDING TO AN MARPOL 73/78 AND CODE:	INEX II OF	Not established. Packaged liquids are not considered bulk.
SECTIO	N 15: REGULATO		ΔΤΙΟΝ
	15.1. SAFETY, HEA ENVIROMENTAL REGULATIONS/LEG SPECIFIC FOR THESUBSTANCE O MIXTURE:	LTH AND GISLATION	REGULATION (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. DIRECTIVE 2006/11/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 15 February 2006 on pollution caused by certain dangerous substances discharged into the aquatic environment of the Community. REGULATION (EC) No 1272/2008 (CLP) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
	INFORMATION ABC LIMITATION OF USE		Take note of Directive 94/33/EC on the protection of young people at work. Take note of Directive 92/85/EC on the safety and health of pregnant women at work.
	15.2. CHEMICAL SA ASSESSMENT:	FETY	Not applicable.

Full text of the classifications, including the indication of danger, the hazard symbols and the hazard statements, mentioned in section 2 or 3:

Revisions are mentionned by a black stroke in left margin.

ABBREVIATIONS AND ACRONYMS:	
PBT:	Persistent, bioaccumulative, toxic
vPvB:	Very persistent, very bioaccumulative
EC:	European Inventory of Existing Commercial Chemical Substances
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
ADR:	European Agreement concerning the International Carriage of Dangerous Goods
IATA:	International Air Transport Association
IMDG:	International Maritime Code for Dangerous Goods
LC50:	Median (50 %) lethal concentration
LD50:	Median (50%) lethal dose
EC50:	Effective concentration, 50 percent
CLP:	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and Mixtures
ECHA:	European Chemicals Agency, Helsinki (http://echa.europa.eu/home_en.asp)
TWA:	Time Weighted Average
IBC code:	International Bulk Chemical Code
MARPOL:	International Convention for the Prevention of Pollution From Ships
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
UN:	United Nations
ATE:	Acute Toxicity Estimate

The information given in this MSDS was obtained from current and reliable sources. However, these data are provided without any warranty, expressed or implied, regarding their correctness or accuracy. Since the conditions of use, handling, storage, and disposal of this product are beyond control, it is the responsibility of the user both to determine safe conditions for use as well as to assume liability for loss, damage, and expenses arising out of improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS.